

L Number	Hits	Search Text	DB	Time stamp
-	1025	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with secure)	USPAT; US-PGPUB; EPO	2004/09/27 17:15
-	140	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with encrypt\$3 with (ID or identif\$4))	USPAT; US-PGPUB; EPO	2004/09/30 18:57
-	4	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (description adj language with encrypt\$3)	USPAT; US-PGPUB; EPO	2004/09/23 07:30
-	2716	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((choos\$3 or select\$3) with encryption)	USPAT; US-PGPUB; EPO	2004/09/30 14:10
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((choos\$3 or select\$3) with encryption with "from")	USPAT; US-PGPUB; EPO	2004/09/23 13:59
-	29	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and 380/246.ccls.	USPAT; US-PGPUB; EPO	2004/09/23 07:35
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with encrypt\$3 with (ID or identif\$4)) and 380/246.ccls.	USPAT; US-PGPUB; EPO	2004/09/23 08:36
-	283	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same encrypt\$3 same (communication tranfer))	USPAT; US-PGPUB; EPO	2004/09/23 08:37
-	92	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same encrypt\$3 same (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 08:38
-	193	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 with (select\$3 or choos\$3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 08:40
-	18	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 with (select\$3 or choos\$3 or indicat3) with (communication tranfer) with (ID or identification or flag)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 10:00
-	4	("5917947" "5930825" "6003065" 5,509,074).pn.	USPAT; US-PGPUB; EPO	2004/09/23 08:49
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 with algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer) with (ID or identification or flag)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 10:01
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer) with (ID or identification or flag)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 14:16
-	13	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 14:59
-	9	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 11:44

-	6	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))	USPAT; US-PGPUB; EPO	2004/09/23 11:44
-	16196	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (decrypt\$3 same algorithms(select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))))	USPAT; US-PGPUB; EPO	2004/09/23 11:51
-	75	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (decrypt\$3 same algorithms with (select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))))	USPAT; US-PGPUB; EPO	2004/09/23 11:53
-	7	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 or encrypt\$3) same print\$3 same algorithms with (select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))))	USPAT; US-PGPUB; EPO	2004/09/23 12:09
-	393	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))))	USPAT; US-PGPUB; EPO	2004/09/23 14:00

-	309	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication transfer)) and (380/\$.ccls. 713/\$380.ccls.))))	USPAT	2004/09/23 12:11
-	34	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) and (print\$3).ti.	USPAT	2004/09/23 12:55
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer adj decrypts).ti.	USPAT	2004/09/23 12:33
-	2	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer adj decrypts).ab.	USPAT	2004/09/23 12:41
-	5	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ("4881264" "5196840" "5633932" "5699493" "6378070").pn.	USPAT	2004/09/23 12:43
-	8	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt decrypts).ab. and (Hewlett-packard).as.	USPAT	2004/09/23 12:52
-	0	(sound adj volume adj is adj locked).ab.	USPAT; US-PGPUB; EPO	2004/09/23 12:56
-	0	"2000261264"	USPAT; US-PGPUB; EPO	2004/09/23 12:57
-	4348469	@ad<=19990311 or @rlad=19990311 or @prad=19990311	USPAT; US-PGPUB; EPO	2004/09/23 13:02
-	2481	@ad=19990311 or @rlad=19990311 or @prad=19990311	USPAT; US-PGPUB; EPO	2004/09/23 13:19
-	0	JP and "2000261264"	USPAT; US-PGPUB; EPO	2004/09/23 13:40
-	2	uehigashi.in. & volume	JPO; DERWENT	2004/09/23 13:59
-	53	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (lipky leppek).in.	USPAT; US-PGPUB; EPO	2004/09/23 13:59
-	8	(lipky leppek).in. and (380/\$.ccls. 713/\$380.ccls.)	USPAT; US-PGPUB; EPO	2004/09/23 14:16
-	226	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same decrypt)	USPAT; US-PGPUB; EPO	2004/09/23 14:17
-	147	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with decrypt)	USPAT; US-PGPUB; EPO	2004/09/23 14:17
-	9	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer adj decrypts)	USPAT; US-PGPUB; EPO	2004/09/23 14:24
-	131	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer near4 algorithms)	USPAT; US-PGPUB; EPO	2004/09/23 14:28
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer near4 algorithms) and 713/\$.ccls.	USPAT; US-PGPUB; EPO	2004/09/23 14:31
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer near4 algorithms) and 713/201.ccls.	USPAT; US-PGPUB; EPO	2004/09/23 14:31

-	176	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((encrypt\$3 or decrypt\$3) near4 algorithms) and 713/201.ccls.	USPAT; US-PGPUB; EPO	2004/09/23 14:32
-	125	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((encrypt\$3 or decrypt\$3) near4 algorithms) and 713/201.ccls.	USPAT	2004/09/23 14:40
-	17	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (decryption adj algorithms) and 713/201.ccls.	USPAT	2004/09/23 14:41
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (select\$3 or choos\$3 or indicat\$3) same (communication tranfer) same (identifier ID))	USPAT; US-PGPUB; EPO	2004/09/23 15:02
-	22	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (communication tranfer) same (identif\$3 ID))	USPAT; US-PGPUB; EPO	2004/09/23 15:50
-	169	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same(identif\$3 ID)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (communication tranfer) same (identif\$3 ID)))	USPAT; US-PGPUB; EPO	2004/09/23 15:54
-	141	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms with (select\$3 or choos\$3 or find\$3 or indicat\$3)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (communication tranfer) same (identif\$3 ID)))	USPAT; US-PGPUB; EPO	2004/09/23 15:56

<p>Search History</p> <p>C:\APPS\EAST\Workspaces</p>	<p>26</p> <p>10/1/04 12:32:45 PM Page 4</p>	<pre>((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms with (select\$3 or choos\$3 or find\$3 or indicat\$3)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (communication tranfer) same (identif\$3 ID)))) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same(identif\$3 ID)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 encrypt\$3) adj1 algorithms same (communication tranfer) same (identif\$3 ID)))) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer adj decrypts).ab.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer adj decrypts).ti.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) and (print\$3).ti.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)))) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (decrypt\$3 or encrypt\$3) same print\$3) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)))) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((decrypt\$3 or encrypt\$3) same print\$3 same algorithms with (select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same algorithms with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)))) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (decrypt\$3 same algorithms with (select\$3 or choos\$3)) and (380/\$.ccls. 713/\$380.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj1 algorithm\$1 with (select\$3 or choos\$3 or indicat3) with (communication tranfer)) and (380/\$.ccls. 713/\$380.ccls.)) and (380/\$.ccls. 713/\$380.ccls.))</pre>	<p>USPAT; US-PGPUB; EPO</p>	<p>2004/09/23 15:57</p>
--	---	--	-------------------------------------	-------------------------

-	7	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and printer	USPAT; US-PGPUB; EPO	2004/09/25 10:35
-	3184	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with (description adj language) (PDL or Postscript))	USPAT; US-PGPUB; EPO	2004/09/25 10:42
-	2	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((printer with (description adj language) (PDL or Postscript)) same (DMA or direct adj access adj memory)).ab.	USPAT; US-PGPUB; EPO	2004/09/25 10:37
-	194	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((printer with (description adj language) (PDL or Postscript)) same (DMA or direct adj access adj memory))	USPAT; US-PGPUB; EPO	2004/09/25 10:38
-	114	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((printer with (description adj language) (PDL or Postscript)) same (DMA or direct adj access adj memory))	USPAT	2004/09/25 10:38
-	222	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with (description adj language) (PDL or Postscript) with (change or transfer))	USPAT; US-PGPUB; EPO	2004/09/25 10:43
-	206	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with (description adj language) (PDL or Postscript) with (change or convert))	USPAT; US-PGPUB; EPO	2004/09/25 10:43
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with (description adj language) (PDL or Postscript) with (chang\$3 or convert\$3)) with (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 10:44
-	53	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with (description adj language) (PDL or Postscript) with (chang\$3 or convert\$3)) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 10:48
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with to adj ((description adj language) (PDL or Postscript)) with (chang\$3 or convert\$3)) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 10:48
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with to adj ((description adj language) (PDL or Postscript)) with (chang\$3 or convert\$3))	USPAT; US-PGPUB; EPO	2004/09/25 10:48
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with to adj ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:48
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer with to adj2 ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:49
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer same to adj2 ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:49
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer same "to" adj2 ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:49
-	11	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (printer adj1 receives adj1 ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:52

-	11	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with sends adjl ((description adj language) (PDL or Postscript)))	USPAT; US-PGPUB; EPO	2004/09/25 10:53
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with sends adjl ((description adj language) (PDL or Postscript)) with encrypt\$3)	USPAT; US-PGPUB; EPO	2004/09/25 11:03
-	2762	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with communication)	USPAT; US-PGPUB; EPO	2004/09/25 11:04
-	314	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with communication) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 11:04
-	8	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with communication with language) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 12:10
-	0	("08782391" "08968925" "09208978").pn.	USPAT; US-PGPUB; EPO	2004/09/25 11:13
-	3	("6385348" "5931586" "6288789").pn.	USPAT; US-PGPUB; EPO	2004/09/25 11:14
-	113	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with language) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 11:22
-	90	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with language) and (printer).ti.	USPAT	2004/09/25 11:25
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with print adj spooler with language) and (printer).ti.	USPAT	2004/09/25 12:10
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with spooler with language) and (printer).ti.	USPAT	2004/09/25 11:26
-	18	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with spooler) and (printer).ti.	USPAT	2004/09/25 11:26
-	2	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with print adj spooler with language)	USPAT	2004/09/25 12:00
-	1	6167514.pn.	USPAT	2004/09/25 12:00
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with communication with (pcl or pdf or xml) with format) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 12:11
-	1	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (computer with printer with communication with (pcl or pdf or xml)) and (printer).ti.	USPAT; US-PGPUB; EPO	2004/09/25 16:51
-	257677	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id) encrypt\$3 adj algorithm)	USPAT; US-PGPUB; EPO	2004/09/25 16:52
-	117	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id) with encrypt\$3 adj algorithm)	USPAT; US-PGPUB; EPO	2004/09/25 16:54
-	49	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id or identification) near3 encrypt\$3 adj algorithm)	USPAT; US-PGPUB; EPO	2004/09/25 17:00
-	13	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id or identification) near3 encrypt\$3 adj algorithm with (transfer\$3 or send\$3 or receive\$3))	USPAT; US-PGPUB; EPO	2004/09/25 17:00
-	37	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((flag or id or identification) near3 encrypt\$3 adj algorithm)	USPAT	2004/09/25 17:00

-	18	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3) near3 encrypt\$3 adj algorithm)	USPAT	2004/09/25 19:00
-	74	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same algorithms).ab. not ((6240183.PN. and ((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3) near3 encrypt\$3 adj algorithm))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) (((@AD<20010604 OR @RLAD<20010604 OR @PRAD<20010604)) AND ((INDICAT\$3 OR SPECIF\$2) NEAR3 ENCRYPT\$3 ADJ ALGORITHM) AND (709/\$).CCLS.) (((@AD<20010604 OR @RLAD<20010604 OR @PRAD<20010604)) AND (ENCRYPT\$3 ADJ ALGORITHM SAME ALGORITHMS) AND (709/\$).CCLS.))	USPAT	2004/09/25 19:19
-	2415	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same algorithms) not ((6240183.PN. and ((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3) near3 encrypt\$3 adj algorithm))) (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) (((@AD<20010604 OR @RLAD<20010604 OR @PRAD<20010604)) AND ((INDICAT\$3 OR SPECIF\$2) NEAR3 ENCRYPT\$3 ADJ ALGORITHM) AND (709/\$).CCLS.) (((@AD<20010604 OR @RLAD<20010604 OR @PRAD<20010604)) AND (ENCRYPT\$3 ADJ ALGORITHM SAME ALGORITHMS) AND (709/\$).CCLS.))	USPAT	2004/09/25 19:19
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same algorithm same specifif\$3) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm) and 709/\$.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.)	USPAT	2004/09/25 19:19
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same algorithm with specifif\$3) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm) and 709/\$.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.)	USPAT	2004/09/25 19:18

-	4195	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 same algorithm specif\$3) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm) and 709/\$.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.)	USPAT	2004/09/25 19:18
-	0	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithms same (algorithm with use)) and 709/\$.ccls. not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm) and 709/\$.ccls.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.)	USPAT	2004/09/25 19:17
-	28	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and (encrypt\$3 adj algorithm same algorithms) and 709/\$.ccls.	USPAT	2004/09/25 19:16
-	10	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm) and 709/\$.ccls.	USPAT	2004/09/25 19:06
-	68	((@ad<20010604 or @rlad<20010604 or @prad<20010604)) and ((indicat\$3 or specif\$2) near3 encrypt\$3 adj algorithm)	USPAT	2004/09/25 19:01

-	78	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((algorithm adj2 identifier)) and (713/\$ 380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152 713/151).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and 709.clas.) (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (713/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152 713/151).ccls.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and 709.clas.) not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.)))	USPAT; EPO	2004/09/27 18:40
---	----	---	------------	------------------

-	25	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((specifies specify specifing lists listing) adj2 algorithm)) and (713/\$ 380/\$).ccls. not (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) ((@ad<20010604 or @rlad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152 713/151).ccls.)) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and 709.clas.)) (((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.))	USPAT; EPO	2004/09/27 18:39
-	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (713/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152 713/151).ccls.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and 709.clas.)) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.))	USPAT; EPO	2004/09/27 18:35
-	5	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.))	USPAT; US-PGPUB; EPO	2004/09/27 18:33
-	11	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj2 algorithm)) and (380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/09/27 18:24
-	2	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 same ((inidicates or indicating) adj3 algorithms)) and (380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/09/27 18:19
-	26	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and (713/150 713/152 713/151).ccls.	USPAT; US-PGPUB; EPO	2004/09/27 18:17
-	34	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms with used) and 709.clas.	USPAT; US-PGPUB; EPO	2004/09/27 18:08

-	89	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.	USPAT; EPO	2004/09/27 17:50
-	170	((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)) and 709.clas.	USPAT; US-PGPUB; EPO	2004/09/27 17:50
-	1752	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (encrypt\$3 adj algorithms)	USPAT; US-PGPUB; EPO	2004/09/27 17:53
-	5	("6768749" "6549942" "6236728" "6557037" "5222137").pn. and algorithm\$1	USPAT; US-PGPUB; EPO	2004/09/28 17:10
-	1	6058187.pn.	USPAT; US-PGPUB; EPO	2004/09/28 17:38
-	9	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) same print\$3) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 17:53
-	4	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) same (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml")) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 17:54
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) same (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml") and print) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 17:54
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) same (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml") same print) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 17:54
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) same (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml") same print) and (709/\$.ccls. or 713/\$.ccls.) and (encrypt\$3 or cypher or crypto\$5)	USPAT; US-PGPUB; EPO	2004/09/28 17:55
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) and (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml") same print) and (709/\$.ccls. or 713/\$.ccls.) and (encrypt\$3 or cypher or crypto\$5)	USPAT; US-PGPUB; EPO	2004/09/28 17:57
-	1781	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((file adj1 (ID or identifier or identification)) and transfer\$3)	USPAT; US-PGPUB; EPO	2004/09/30 11:02
-	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3) same printer)	USPAT; US-PGPUB; EPO	2004/09/28 17:59
-	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3) same printer)	USPAT; US-PGPUB; EPO	2004/09/28 17:59

-	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3) same printer)	USPAT; US-PGPUB; EPO	2004/09/28 18:11
-	6	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3) same (PDL or "printer description language" or "page description language" or "pdf" or "pcl" or "xml"))	USPAT; US-PGPUB; EPO	2004/09/28 18:17
-	458	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 (ID or identifier or identification)) and transfer\$3)) and (709/\$.ccls. or 713/\$.ccls. or 380/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 18:26
-	71	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 name) same printer)) and (709/\$.ccls. or 713/\$.ccls. or 380/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/28 18:29
-	53	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (((file adj1 name) same printer)) and (709/\$.ccls. or 713/\$.ccls. or 380/\$.ccls.)	USPAT; EPO	2004/09/28 18:57
-	337	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with "postscript")	USPAT; EPO	2004/09/28 18:58
-	48	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((print with "postscript") same pdl)	USPAT; EPO	2004/09/28 21:55
-	4	("5509074" "5917947" "5930825" "6003065").pn.	USPAT; US-PGPUB; EPO	2004/09/29 10:02
-	1	6167514.pn. and (data or file or id or identification)	USPAT; US-PGPUB; EPO	2004/09/29 14:44
-	1	6058187.pn. and (data or file or id or identification)	USPAT; US-PGPUB; EPO	2004/09/29 17:06
-	451	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file with (name or id))	USPAT; US-PGPUB; EPO	2004/09/29 14:50
-	242	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id))	USPAT; US-PGPUB; EPO	2004/09/29 14:51
-	5	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.	USPAT; US-PGPUB; EPO	2004/09/29 16:01
-	16	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab.	USPAT; US-PGPUB; EPO	2004/09/29 15:56
-	11	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.)	USPAT; US-PGPUB; EPO	2004/09/29 16:00
-	63	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with (file or data) near2 (name or id)).ab. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab.) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with file adj2 (name or id)).ab. not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj2 (name or id)).ab.))	USPAT; US-PGPUB; EPO	2004/09/29 16:01
-	205	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj1 (name or id))	USPAT; US-PGPUB; EPO	2004/09/29 16:03

-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj1 (name or id)) and (709.ccls. or 713.ccls.)	USPAT; US-PGPUB; EPO	2004/09/29 16:02
-	144	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with file adj1 (name or id))	USPAT; EPO	2004/09/29 16:08
-	239	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same print\$3 near4 history)	USPAT; EPO	2004/09/29 16:12
-	130	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with log with file\$1)	USPAT; EPO	2004/09/29 16:12
-	1	6167514.pn.	USPAT; US-PGPUB; EPO	2004/09/30 14:08
-	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDF with postscript)	USPAT; US-PGPUB; EPO	2004/09/30 11:04
-	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDL with postscript)	USPAT; US-PGPUB; EPO	2004/09/30 11:04
-	2	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (PDL with postscript)	USPAT; EPO	2004/09/30 20:28
-	2	"6058187"	USPAT; US-PGPUB; EPO	2004/09/30 16:17
-	907	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5))	USPAT; US-PGPUB; EPO	2004/09/30 14:12
-	232	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/30 14:13
-	143	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5) same (ID or name or identification or identity or information)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO	2004/09/30 14:13
-	100	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer same (encryption\$3 or decrypt\$3 or cypher or crypto\$5) same (ID or name or identification or identity or information)) and (709/\$.ccls. or 713/\$.ccls.)	USPAT; EPO	2004/09/30 15:38
-	1	6233338.pn. and printer	USPAT; US-PGPUB; EPO	2004/09/30 16:17
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (printer with encrypt\$3 with (ID or identif\$4 or key) same (punch put))	USPAT; US-PGPUB; EPO	2004/09/30 18:59
-	1	6378070.pn. and key	USPAT; US-PGPUB; EPO	2004/09/30 19:00
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print with postscript with format)	USPAT; EPO	2004/09/30 20:28
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with postscript with format)	USPAT; EPO	2004/09/30 20:28
-	7	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with postscript)	USPAT; EPO	2004/10/01 09:44
-	1122	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with "description language")	USPAT; EPO	2004/10/01 09:45

-	75	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with "printer description language")	USPAT; EPO	2004/10/01 10:45
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (XML with "printer description language")	USPAT; EPO	2004/10/01 09:45
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((XML or pcl) NEAR6 "printer description language")	USPAT; EPO	2004/10/01 09:46
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((XML or pcl) NEAR10 "printer description language")	USPAT; EPO	2004/10/01 09:46
-	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((XML or pcl) same "printer description language")	USPAT; EPO	2004/10/01 09:47
-	1	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((default or standard) same "printer description language")	USPAT; EPO	2004/10/01 10:29
-	24	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language")	USPAT; EPO	2004/10/01 10:30
-	4	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript)	USPAT; EPO	2004/10/01 11:19
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))	USPAT; EPO	2004/10/01 10:33
-	3	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and ("printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))	USPAT; EPO	2004/10/01 10:33
-	7	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript same "printer description language")	USPAT; EPO	2004/10/01 11:23
-	1	5594860.pn.	USPAT; EPO	2004/10/01 10:54
-	1	5930553.pn.	USPAT; EPO	2004/10/01 10:54
-	886	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with postscript) not (5594860.pn. ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript same "printer description language")) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ("printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript)))	USPAT; EPO	2004/10/01 11:09

-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with postscript) not (5594860.pn. ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript same "printer description language")) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ("printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) and (709.ccls. 713.ccls)	USPAT; EPO	2004/10/01 11:09
-	22	@ad<20010604 or @rlad<20010604 or @prad<20010604) and (print\$3 with postscript with convert) not (5594860.pn. ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript same "printer description language")) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ("printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" same postscript) not ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript))) ((@ad<20010604 or @rlad<20010604 or @prad<20010604) and ((convert\$3 or translat\$3) same "printer description language" with postscript)))	USPAT; EPO	2004/10/01 11:09
-	2603	5594860.pn. postscript	USPAT; EPO	2004/10/01 11:19
-	1	5594860.pn. and postscript	USPAT; EPO	2004/10/01 11:19
-	6	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript with volume)	USPAT; EPO	2004/10/01 11:23
-	0	(@ad<20010604 or @rlad<20010604 or @prad<20010604) and (postscript same volume same "description language")	USPAT; EPO	2004/10/01 11:24